



2.3M X 2.3M FLATPACKED OFFICE

Quickfind Code: 143

Part Number: SALE 2M FLATPACKED OFFICE

£3,090.00 (exc. VAT)

£3,708.00 (inc. VAT)

PRODUCT DETAILS

Flat pack office cabin for sale in the UK. Collapsible office cabins ideal for sites with restricted access.

This 2m cabin is the smallest in our [flat pack cabin range](#). This cabin is often used as a small home office for one person working from home. It is a cost-effective work space which can be easily assembled and moved into awkward spaces. It does not require permanent foundations and can be easily disassembled if you move or no longer need the space. This 2m office has 2 windows as standard.

This office cabin arrives flat packed, is man portable and is ideal for erecting in previously inaccessible locations. It's simple assembly (with a socket set) takes about 45 minutes.

Manufactured from fully galvanised steel (no rusting), this flat packed cabin has attractive smooth panelling, finished in a powder coated moss green (RAL 6005) on the outside and an off white (RAL 9002) powder coat on the inside.

The unit has a guttered roof and features two double glazed u-PVC windows fitted as standard. The interior of the insulated cabin is pleasantly light and airy with a durable and smart wall finish – suitable for surface mounted electrics.

Once assembled the unit can be moved by crane / forklift or demounted back into its neat flat-pack form for storage purposes. This unit can be linked side to side or end to end to provide additional space at any time after initial assembly.

FLAT PACK OFFICE ASSEMBLY VIDEO

PRODUCT SPECIFICATIONS

External Length (m)	2.25
External Width (m)	2.31
External Height (m)	2.35
Internal Length (m)	2.13
Internal Width (m)	2.19
Internal Height (m)	2.15
Door Width (m)	0.79
Door Height (m)	1.97
Height (Flatpacked) (mm)	450
Length (Flatpacked) (m)	2.25
Width (Flatpacked) (m)	2.31
No. of Windows	2
Weight (Flatpacked) (kg)	665
Weight Heaviest Part (when Demounted) (kg)	74
Floor Type	18mm Marine Plywood
Floor Loading	250kg/m2 evenly distributed

Internal Floor Covering	2mm PVC Linoleum (flash point B1 difficult to burn, smoke density Q1)
Internal Wall Covering	0.60mm galvanised steel electrostatic powder coated in RAL9002
Insulation	50mm EPS insulation
Electrical Requirements. (Amps)	32amp

PRODUCT OPTIONS:

The following optional items can be added to this product:

Flat Pack Professional Installation Service (B)	£750.00 (exc. VAT)
	£900.00 (inc. VAT)
