



INSULATED 4M XL FLAT PACK KIOSK (RAL6005) – GREEN

Quickfind Code: 497

Part Number: SALE 4M XL INSULATED FLATPACK KIOSK (RAL6005)

£2,814.00 (exc. VAT)

£3,376.80 (inc. VAT)

PRODUCT DETAILS

Our popular flat pack kiosks are now available in an insulated version! Insulated sandwich panels cover the internal walls and roof of the kiosk to protect against a build up of condensation.

Our insulated kiosks keep many of the same benefits as our standard flat pack kiosk range including having a serving hatch (hinged from the top) fitted to the 4m side. This hatch can be positioned on either of the long sides to meet your requirements.

Each part of the unit can be moved with 4 strong people. This saves on expensive specialist crane transport if you need to move the unit from time to time whether it's between events, or between seasons.

The insulation makes the kiosk ideal for year-round use even in low temperatures. Insulation density: PUR 40 (±2) kg/m³

The unit is ideal for use as a serving unit at events, festivals or any business for short-term needs. It's also well suited for longer-term uses, where either or both the interior and exterior can be fitted out and clad for use.

Note: Insulation comes in kit form, and needs to be added to the XL kiosk once built.

4M XL FLAT PACK KIOSK BENEFITS

- Retains heat and minimises condensation
- Fully galvanised body with sandwich panel insulation
- Person-portable unit
- Easily demounted and moved
- Ideal for use in areas where a delivery vehicle cannot reach

This kiosk is available for sale and delivery throughout the UK.

A smaller **3m insulated kiosk** is also available.

This flatpack store is also available from stock in **Grey RAL7015** or made-to-order in **Blue RAL5013**

Insulated kiosks are not linkable, but our standard kiosk range offers options for linked kiosks and linked kiosk/store configurations.

Note: hatch shelf is **not** included with this product.

PRODUCT SPECIFICATIONS

External Length (m)	3.88
External Base Width (m)	2.21
External Roof Width (m)	2.29
External Height (m)	2.24
Internal Length (m)	3.64
Internal Width (m)	2.05
Internal Height (m)	2.08
Door Width (m)	1.75
Door Height (m)	2.03
Hatch Width (m)	2.91
Hatch Height (m)	1.03
Max Weight Floor can Withstand (kg)	2000, spread evenly across the floor
Floor Type	15mm OSB Board
Internal Floor Covering	OSB Board
Internal Wall Covering	Sandwich Panel
Insulation Density	PUR 40 (±2) kg/m ³



Visit our HQ

Book a guided tour of our Suffolk site and see our products first-hand

[BOOK NOW](#)



See it live with a video call

Why not schedule a live walk-through with a member of our team?

[BOOK NOW](#)

PRODUCT OPTIONS:

The following optional items can be added to this product:

FREE Flat Pack Installation Service	£0.00 (exc. VAT)
	£0.00 (inc. VAT)
